

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.

---

L Number	Hits	Search Text	DB	Time stamp
-	24734	(manag\$5 search\$3 creat\$3) near3 (list)	USPAT; US-PGPUB	2004/07/16 19:50
-	2246	((manag\$5 search\$3 creat\$3) near3 (list)) and (customer with (id identif\$7 (account near2 number))) and list	USPAT; US-PGPUB	2004/07/16 19:51
-	1306	((database with manag\$5) or DBMS) and ((manag\$5 search\$3 creat\$3) near3 (list)) and (customer with (id identif\$7 (account near2 number))) and list	USPAT; US-PGPUB	2004/07/16 19:51
-	486	((database with manag\$5) or DBMS) and ((manag\$5 search\$3 creat\$3) near3 (list)) and (customer with (id identif\$7 (account near2 number))) and list)) and ((multiple various plural\$3) with object)	USPAT; US-PGPUB	2004/07/16 19:57
-	1	"20020120636"	USPAT; US-PGPUB	2004/07/16 19:53
-	1	"20020120636" and (retrieval near2 condition)	USPAT; US-PGPUB	2004/07/16 19:53
-	1	"20020120636" and (retrieval with condition)	USPAT; US-PGPUB	2004/07/16 19:53
-	1	"20020120636" and (retrieval same condition)	USPAT; US-PGPUB	2004/07/16 19:54
-	1	"20020120636" and (condition)	USPAT; US-PGPUB	2004/07/16 19:54
-	24	((database with manag\$5) or DBMS) and ((manag\$5 search\$3 creat\$3) near3 (list)) and (customer with (id identif\$7 (account near2 number))) and list)) and ((multiple various plural\$3) with object)) and ((search with result) with stor\$3)	USPAT; US-PGPUB	2004/07/16 19:58
-	2	((database with manag\$5) or DBMS) and ((manag\$5 search\$3 creat\$3) near3 (list)) and (customer with (id identif\$7 (account near2 number))) and list)) and ((multiple various plural\$3) with object)) and ((search with result) with stor\$3)) and (temporar\$3 with stor\$3)	USPAT; US-PGPUB	2004/07/16 19:58
-	1100	view\$3 near2 query	USPAT; US-PGPUB	2004/07/19 14:49
-	332	(view\$3 near2 query) and (view\$3 near2 result)	USPAT; US-PGPUB	2004/07/19 14:50
-	256	((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)	USPAT; US-PGPUB	2004/07/19 14:50
-	56	((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)) and (name and address and id and customer)	USPAT; US-PGPUB	2004/07/19 14:53
-	37	((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)) and (name and address and id and customer)) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 14:54
-	40	((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 17:20
-	32	((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223 and ((collect\$3 group\$3 stor\$3) with results)	USPAT; US-PGPUB	2004/07/19 17:21
-	3	((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223 and ((collect\$3 group\$3) with results) same target)	USPAT; US-PGPUB	2004/07/19 17:21

-	26	((((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223) and ((collect\$3 group\$3) with results)	USPAT; US-PGPUB	2004/07/19 18:04
-	8	((((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223) and ((collect\$3 group\$3) with results)) and (results same (correspond\$3 with object))	USPAT; US-PGPUB	2004/07/19 17:27
-	11	((((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)) and @ad<20010223) and ((collect\$3 group\$3) with results)) and (results same (correspond\$3))	USPAT; US-PGPUB	2004/07/19 17:27
-	40991	(database with manag\$5) or DBMS	USPAT; US-PGPUB	2004/07/19 18:01
-	61	((view\$3 near2 query) and (view\$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)	USPAT; US-PGPUB	2004/07/19 18:02
-	259	((view\$3 near2 result)) and (query near2 result)) and (name and address and (id (account near2 number)) and customer)	USPAT; US-PGPUB	2004/07/19 18:02
-	392	(view\$3 near2 result) and (query near2 result) and (name address (account near2 number)) and customer	USPAT; US-PGPUB	2004/07/19 18:03
-	309	((database with manag\$5) or DBMS) and ((view\$3 near2 result) and (query near2 result) and (name address (account near2 number)) and customer)	USPAT; US-PGPUB	2004/07/19 18:04
-	194	((database with manag\$5) or DBMS) and ((view\$3 near2 result) and (query near2 result) and (name address (account near2 number)) and customer)) and ((collect\$3 group\$3) with results)	USPAT; US-PGPUB	2004/07/19 19:21
-	136	(((database with manag\$5) or DBMS) and ((view\$3 near2 result) and (query near2 result) and (name address (account near2 number)) and customer)) and ((collect\$3 group\$3) with results)) and ((multiple several different many plurality) near3 object)	USPAT; US-PGPUB	2004/07/19 18:05
-	0	(((database with manag\$5) or DBMS) and ((view\$3 near2 result) and (query near2 result) and (name address (account near2 number)) and customer)) and ((collect\$3 group\$3) with results)) and ((multiple several different many plurality) near3 object)) and (search with (correspond\$3 with object))	USPAT; US-PGPUB	2004/07/19 18:06
-	25	(((database with manag\$5) or DBMS) and ((view\$3 near2 result) and (query near2 result) and (name address (account near2 number)) and customer)) and ((collect\$3 group\$3) with results)) and ((multiple several different many plurality) near3 object)) and (search with object)	USPAT; US-PGPUB	2004/07/19 18:13
-	121	(((database with manag\$5) or DBMS) and ((view\$3 near2 result) and (query near2 result) and (name address (account near2 number)) and customer)) and ((collect\$3 group\$3) with results)) and ((multiple several different many plurality) near3 object)) and ((customer inventory business) with table)	USPAT; US-PGPUB	2004/07/19 18:13

-	108	(((((database with manag\$5) or DBMS) and ((view\$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect\$3 group\$3) with results)) and ((multiple several different many plurality) near3 object)) and ((customer inventory) with table)	USPAT; US-PGPUB	2004/07/19 18:17
-	3	(((((database with manag\$5) or DBMS) and ((view\$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect\$3 group\$3) with results)) and ((multiple several different many plurality) near3 object)) and (customer with table)	USPAT; US-PGPUB	2004/07/19 18:14
-	9	((((((database with manag\$5) or DBMS) and ((view\$3 near2 result)and (query near2 result) and (name address (account near2 number))and customer)) and ((collect\$3 group\$3) with results)) and ((multiple several different many plurality) near3 object)) and ((customer inventory) with table)) and object) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 18:52
-	2785	(search\$3 quer\$4) with (relational adj database)	USPAT; US-PGPUB	2004/07/19 19:19
-	804	((search\$3 quer\$4) with (relational adj database)) and (object with table)	USPAT; US-PGPUB	2004/07/19 19:19
-	378	((search\$3 quer\$4) with (relational adj database)) and (object with table)) and (query with (input\$4 enter\$3 submit\$4))	USPAT; US-PGPUB	2004/07/19 19:20
-	311	((((search\$3 quer\$4) with (relational adj database)) and (object with table)) and (query with (input\$4 enter\$3 submit\$4))) and (result with (object table))	USPAT; US-PGPUB	2004/07/19 18:55
-	200	(((((search\$3 quer\$4) with (relational adj database)) and (object with table)) and (query with (input\$4 enter\$3 submit\$4))) and (result with (object table))) and ((result near2 set) or (collect\$3 group\$3)with result))	USPAT; US-PGPUB	2004/07/19 18:56
-	68	((((((search\$3 quer\$4) with (relational adj database)) and (object with table)) and (query with (input\$4 enter\$3 submit\$4))) and (result with (object table))) and ((result near2 set) or (collect\$3 group\$3)with result))) and (customer with (id number order account))	USPAT; US-PGPUB	2004/07/19 18:56
-	26	((((((search\$3 quer\$4) with (relational adj database)) and (object with table)) and (query with (input\$4 enter\$3 submit\$4))) and (result with (object table))) and ((result near2 set) or (collect\$3 group\$3)with result))) and (customer with (id number order account))) and (customer with list)	USPAT; US-PGPUB	2004/07/19 18:57
-	12	((((((((search\$3 quer\$4) with (relational adj database)) and (object with table)) and (query with (input\$4 enter\$3 submit\$4))) and (result with (object table))) and ((result near2 set) or (collect\$3 group\$3)with result))) and (customer with (id number order account))) and (customer with list)) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 20:08
-	11739	relational-adj database	USPAT; US-PGPUB	2004/07/19 19:19
-	139	(relational adj database) and (search with (customer and table))	USPAT; US-PGPUB	2004/07/19 19:19
-	1490	(relational adj database) and (search with table)	USPAT; US-PGPUB	2004/07/19 19:19

-	820	((relational adj database) and (search with table)) and ((search query) with (input\$4 enter\$3 submit\$4))	USPAT; US-PGPUB	2004/07/19 19:20
-	525	((relational adj database) and (search with table)) and ((query) with (input\$4 enter\$3 submit\$4))	USPAT; US-PGPUB	2004/07/19 19:20
-	406	((relational adj database) and (search with table)) and ((query) with (input\$4 enter\$3 submit\$4))) and ((collect\$3 group\$3 stor\$3 set) with results)	USPAT; US-PGPUB	2004/07/19 19:21
-	48	((relational adj database) and (search with table)) and ((query) with (input\$4 enter\$3 submit\$4))) and ((collect\$3 group\$3 stor\$3 set) with results)) and (customer near3 table)	USPAT; US-PGPUB	2004/07/19 20:05
-	45234	(relational adj database) or ((database with manag\$5) or DBMS)	USPAT; US-PGPUB	2004/07/19 20:05
-	2088	((relational adj database) or ((database with manag\$5) or DBMS)) and ((customer business company inventory) near3 table)	USPAT; US-PGPUB	2004/07/19 20:06
-	944	((relational adj database) or ((database with manag\$5) or DBMS)) and ((customer business company inventory) near3 table)) and ((search\$3 query\$3) with table)	USPAT; US-PGPUB	2004/07/19 20:06
-	433	((relational adj database) or ((database with manag\$5) or DBMS)) and ((customer business company inventory) near3 table)) and ((search\$3 query\$3) with table)) and (table with object)	USPAT; US-PGPUB	2004/07/19 20:07
-	162	((relational adj database) or ((database with manag\$5) or DBMS)) and ((customer business company inventory) near3 table)) and ((search\$3 query\$3) with table)) and (table with object)) and ((collection group\$3)with results)	USPAT; US-PGPUB	2004/07/19 20:07
-	107	((relational adj database) or ((database with manag\$5) or DBMS)) and ((customer business company inventory) near3 table)) and ((search\$3 query\$3) with table)) and (table with object)) and ((collection group\$3)with results)) and @ad<20010223	USPAT; US-PGPUB	2004/07/19 20:08
-	2	("5419942"   "5600831").PN.	USPAT	2004/07/20 14:13
-	45763	(database with manag\$5) or DBMS or (relational with database)	USPAT; US-PGPUB	2004/07/20 15:16
-	2891	((database with manag\$5) or DBMS or (relational with database)) and (manag\$5) near3 (list)	USPAT; US-PGPUB	2004/07/20 15:17
-	271	((database with manag\$5) or DBMS or (relational with database)) and (manag\$5) near3 (list)) and (customer near3 (table list))	USPAT; US-PGPUB	2004/07/20 15:17
-	76	((database with manag\$5) or DBMS or (relational with database)) and (manag\$5) near3 (list)) and (customer near3 (table list))) and (result near3 (set list))	USPAT; US-PGPUB	2004/07/20 15:20
-	37	((database with manag\$5) or DBMS or (relational with database)) and (manag\$5) near3 (list)) and (customer near3 (table list))) and (result near3 (set list))) and ((query\$3 search\$3)with object)	USPAT; US-PGPUB	2004/07/20 15:20
-	38	((database with manag\$5) or DBMS or (relational with database)) and (manag\$5) near3 (list)) and (customer near3 (table list))) and (result near3 set)) and ((query\$3 search\$3)with object)	USPAT; US-PGPUB	2004/07/20 15:20
-	22	((database with manag\$5) or DBMS or (relational with database)) and (manag\$5) near3 (list)) and (customer near3 (table list))) and (result near3 set)) and ((query\$3 search\$3)with object)	USPAT; US-PGPUB	2004/07/20 15:20

-	1	(US-6615258-\$).did.	USPAT	2004/07/20 16:45
-	0	((US-6615258-\$).did.) and ((input\$3 enter\$3) with query)	USPAT	2004/07/20 16:45
-	1	((US-6615258-\$).did.) and (object with query)	USPAT	2004/07/20 16:46
-	1	((US-6615258-\$).did.) and (object with table)	USPAT	2004/07/20 16:47
-	1	((US-6615258-\$).did.) and (customer with table)	USPAT	2004/07/20 16:48
-	1	((US-6615258-\$).did.) and (database with customer)	USPAT	2004/07/20 16:48
-	1	((US-6615258-\$).did.) and (customer with table)) and ((US-6615258-\$).did.) and (database with customer))	USPAT	2004/07/20 16:48
-	1	((US-6615258-\$).did.) and (customer with table)) and ((US-6615258-\$).did.) and (database with customer))) and ((query near3 result) with customer)	USPAT	2004/07/20 16:51
-	1	((US-6615258-\$).did.) and (customer with table)) and ((US-6615258-\$).did.) and (database with customer))) and ((query near3 result) with customer)) and (result with (existing stor\$3 previous collection))	USPAT	2004/07/20 16:53
-	0	((US-6615258-\$).did.) and (customer with table)) and ((US-6615258-\$).did.) and (database with customer))) and ((query near3 result) with customer)) and (result with (existing stor\$3 previous collection))) and (target with retriev\$3)	USPAT; US-PGPUB	2004/07/20 16:53
-	1	((US-6615258-\$).did.) and (customer with table)) and ((US-6615258-\$).did.) and (database with customer))) and ((query near3 result) with customer)) and (result with (existing stor\$3 previous collection))) and (target with result)	USPAT; US-PGPUB	2004/07/20 16:53
-	11	(US-6581039-\$ or US-6571235-\$ or US-6233586-\$ or US-6615258-\$ or US-5812840-\$ or US-5737591-\$ or US-5555403-\$ or US-6078926-\$ or US-5694608-\$).did. or (US-20020120636-\$ or US-20040139070-\$).did.	USPAT; US-PGPUB	2004/07/21 19:59
-	1	((US-6581039-\$ or US-6571235-\$ or US-6233586-\$ or US-6615258-\$ or US-5812840-\$ or US-5737591-\$ or US-5555403-\$ or US-6078926-\$ or US-5694608-\$).did. or (US-20020120636-\$ or US-20040139070-\$).did.) and ((spread?sheet spreadsheet Excel) with customer)	USPAT; US-PGPUB	2004/07/21 20:00
-	2	((US-6581039-\$ or US-6571235-\$ or US-6233586-\$ or US-6615258-\$ or US-5812840-\$ or US-5737591-\$ or US-5555403-\$ or US-6078926-\$ or US-5694608-\$).did. or (US-20020120636-\$ or US-20040139070-\$).did.) and ((spread?sheet spreadsheet Excel) with list)	USPAT; US-PGPUB	2004/07/21 20:00
-	7	((US-6581039-\$ or US-6571235-\$ or US-6233586-\$ or US-6615258-\$ or US-5812840-\$ or US-5737591-\$ or US-5555403-\$ or US-6078926-\$ or US-5694608-\$).did. or (US-20020120636-\$ or US-20040139070-\$).did.) and ((spread?sheet spreadsheet Excel))	USPAT; US-PGPUB	2004/07/21 20:48

-	9	((US-6581039-\$ or US-6571235-\$ or US-6233586-\$ or US-6615258-\$ or US-5812840-\$ or US-5737591-\$ or US-5555403-\$ or US-6078926-\$ or US-5694608-\$).did. or (US-20020120636-\$ or US-20040139070-\$).did.) and (logical)	USPAT; US-PGPUB	2004/07/21 20:51
---	---	--	--------------------	---------------------